

ES CENE

SayHi™ IP PHONE

Escene, a leading designer & manufacturer of Chinese brand IP Phone, is committed to providing smart designed, high cost-effective, simple-to-use, easy deployment IP phones. Escene benefits customers from flexibility and broad interoperability with the major IP-PBX, softswitch and IMS in the market with worldwide recognition.



Found in 2001, Escene has engaged in VoIP Phone and IP communication solutions. Since 2002, Escene is expert in IP Phones and focuses on IP-Telephony market all over the world. Thanks to a powerful and energetic R&D (Software & Hardware) team, we ensure you the effective and friendly technical support service and after-sales service.

Escene has strong sense of social responsibility, respects and cares its staff and customers. Escene aims to be one of world-class VoIP communication terminal equipment providers and hopes to become your excellent partner in your region.



## Product List

- 03 **Enterprise HD IP Phone**  
GS620: 8 Lines, Color displayer  
GS410: 4 Lines  
ES330: 3 Lines  
ES320: 2 Lines  
ES292: 3 Lines  
ES290 / WS290: 2 Lines  
ES220: 2 Lines  
ES205: 2 Lines
- 08 **Gigabit IP Phone**  
GS292/GS330/GS410/GS620

## Special Product

- 09 **Call Center IP Phone**  
CC800(V2) / ESH12
- 10 **Slim IP Phone & IP Speaker**  
HS108(V2) / PS760
- 11 **Security IP Intercom**  
IS710(V2) / IS720
- 12 **Expansion Module & Headset Adapter**  
ESM32 & BWM36
- 13 **Communication app EP+ EP+APP**
- 14 **Cloud Services**
- 15 **Table of ESCENE IP Phone**

# Gigabit Paperless IP Phone



## GS620

- 480x272 HD Color displayer.
- 8 VoIP accounts.
- Paperless, 40 BLF, Clouded.
- Support Communication app EP+.
- Support BWM36 adapter(Bluetooth, EHS, USB Charging).
- Adjustable bracket, wall-mountable.
- POE, 2xRJ45.



# Gigabit HD IP Phone

## GS410



- 240x160 graphic LCD.
- 4 SIP accounts.
- Paperless, 24 programmable keys, Clouded.
- Support Communication app EP+.
- Support BWM36 adapter(Bluetooth, EHS, USB Charging).
- Adjustable bracket, wall-mountable.
- Multi-Language: Chinese, English, Russian, French etc.
- POE, 2xRJ45.





# Enterprise HD IP Phone



## ES330



## ES320

- 132x64 graphic LCD.
- 3 VoIP accounts (ES330).
- 2 VoIP accounts (ES320).
- 6 Expansion Modules up to 192 keys(ES330).
- Support Communication app EP+.
- Adjustable bracket, wall-mountable.
- Multi-Language, USB Charging.
- POE, 2xRJ45.



# Enterprise HD IP Phone



## ES292



## ES290 / WS290

- 3 SIP accounts (ES292).  
2 SIP accounts (ES290).
- Support Communication app EP+.
- adjustable bracket and wall-mountable.
- Support three-way conference, SMS.
- 2xLAN, POE(option), 3.5mm and Rj9 Headset.
- XML/LDAP, Contact Search.
- Auto-provision, HTTP / HTTPS / TFTP / FTP, TR069.
- Multi-language, USB Charging.
- Support WiFi (WS290)



# Enterprise HD IP Phone





## ES220

- 132x48 graphic LCD.
- Support EP+ application.
- 2 VoIP accounts.
- XML Phonebook LDAP.
- POE, 2xRJ45, USB Charging.



## ES205

- 2 lines, 5 programmable keys.
- Demountable bracket to provide multi-angle.
- Multi-language.
- 2\*10/100M Ethernet ports, support POE.
- Auto-provision, HTTP/TFTP/FTP, TR069, PNP.



# Gigabit IP Phone



## GS330

132x64 Graphic LCD.  
3 SIP accounts.

## GS410

240x160 Graphic LCD.  
4 SIP accounts.  
24 programmable keys.

## GS620

480X272 HD Color displayer.  
8 SIP accounts.  
Paperless,40 BLF.

## GS292

132X64 Graphic LCD.  
3 SIP accounts.

- Multi-language: Chinese, English, French, Russian, etc.
- Auto-provision, HTTP / TFTP / FTP, TR069, PNP.
- Excellent adjustable bracket and wall-mountable.
- Support three-way conference, SMS.
- 2xRJ45 10 / 1000M, XML / LDAP, Contact Search.
- USB Charging.RJ9Headset.

The same  
characteristics



# Call Center IP Phone



ESH12

CC800



- 132x64 Graphic LCD, 2 Lines / Accounts.
- Compact and Smart Design.
- Simple-To-Use.
- High Cost-Effective.
- 5 Programmable keys.
- A Key Opening Auto-Answer, Absent.
- Support Call center headsets(RJ9) and PC headsets(3.5)mm.
- POE, USB power, power Adapter.



# Slim IP Phone & IP Speaker



## HS108(V2)

- Compact type, delicacy.
- Double use (Wall-mountable and desktop).
- Support HTTP/TFTP/Telnet/Auto provision, and TR069 centralization maintenance.
- Call hold, Call waiting, Call forward, Call return, Call transfer.
- Power over Ethernet(POE).



## PS760

- HD Voice, Full duplex talking, Auto-AEC.
- 13W speaker.
- LEDs and function keys embedded design.
- Built-in microphone and external 3.5mm microphone interface can be switched freely.
- POE power supply (802.3af / at).



# Security IP Intercom




## IS710(V2)

- Waterproof, Dustproof.
- Anti-dismantle, Adopted aluminum surface shell and cast iron bottom case design which has strong structure to anti-destroy.
- High quality voice.



## IS720

- Waterproof, Dustproof.
- Anti-dismantle, Adopted aluminum surface shell and cast iron bottom case design which has strong structure to anti-destroy.
- High quality voice.



# Extended & Headset Adapter



## ESM32

- 32 programmable keys each with a three-color LED.
- BLF, Speed dial, Conference,
- Call waiting, DND.
- Expansion module is powered by the host phone.
- Daisy-chain 6 modules for 192 programmable keys.
- Applies to GS620, GS410, GS330, ES330 IP Phone.



## BWM36

- Bluetooth and EHS Wireless Headset to one adapter module.
- Answer / Terminate Calls Through Bluetooth / EHS wireless Headset.
- Adjust call volume through Bluetooth headset.
- USB Charging.





# Communication app EP+



ESCENE PHONE +  
APP for Android and IOS



## Communication Assistant Functions

- Cell Phone controls IP Phone to make a call (Fast search contacts in the phone and speedy dial).
- Cell phone uniaxially synchronizes IP phone's phone book.
- Switch talking on IP phone and cell phone
- Cell Phone and IP phone Ring at the same time during incoming call/Cell Phone popup.
- Login IP Phone WEB management and maintenance via Cell Phone(Roaming isn't supported).


## Value Added Service

- Cell phone EP+ app can record when roaming conversation.
- Cell phone EP+ app can support synchronous display IP phone's voice mail box.

## Mobile Extension Functions

- LAN : Cell phone EP+ app can achieve mobile officing by LAN WIFI hotpot.
- WAN: Cell phone EP+ app can achieve mobile officing by mobile network 3G/4G/public network WIFI.
- Mobile officing helps you catch all calls from others to your office phone anywhere.

# Cloud Services



# Table of ESCENE IP Phone

| Description                     | GS620                       | GS410              | GS330 / ES330     | ES320             | GS292 / ES292     | ES290 / WS290     | ES220(V2)         | ES205             | CC800(V2)         | HS108(V2) | PS760 | IS710(V2) | IS720 |
|---------------------------------|-----------------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-----------|-------|-----------|-------|
| LCD                             | 480x272<br>HD color graphic | 240x160<br>graphic | 132x64<br>graphic | 132x64<br>graphic | 132x64<br>graphic | 132x64<br>graphic | 132x48<br>graphic | 128x64<br>graphic | 132x64<br>graphic | —         | —     | —         | —     |
| User Account                    | 8                           | 4                  | 3                 | 2                 | 3                 | 2                 | 2                 | 2                 | 2                 | 1         | 3     | 1         | 1     |
| HD: Headset / Handset / Speaker | √                           | √                  | √                 | √                 | √                 | √                 | √                 | √                 | √                 | √         | —     | —         | —     |
| Voice                           | G.711A/U                    | √                  | √                 | √                 | √                 | √                 | √                 | √                 | √                 | √         | √     | √         | √     |
| Codec                           | G.723.1                     | √                  | √                 | √                 | √                 | √                 | √                 | √                 | √                 | √         | √     | √         | √     |
|                                 | G.729A                      | √                  | √                 | √                 | √                 | √                 | √                 | √                 | √                 | √         | √     | √         | √     |
|                                 | G.722                       | √                  | √                 | √                 | √                 | √                 | √                 | √                 | √                 | √         | √     | √         | √     |
| Customizable Screen             | √                           | —                  | —                 | —                 | —                 | —                 | —                 | —                 | —                 | —         | —     | —         |       |
| Adjustable bracket              | √                           | √                  | √                 | √                 | √                 | √                 | √                 | √                 | —                 | —         | —     | —         |       |
| Auto Provision/TR069            | √                           | √                  | √                 | √                 | √                 | √                 | √                 | √                 | √                 | √         | √     | √         |       |
| Speakerphone Full-duplex        | √                           | √                  | √                 | √                 | √                 | √                 | √                 | √                 | √                 | √         | √     | √         | √     |
| BLF/BLA                         | √                           | √                  | √                 | √                 | √                 | √                 | √                 | √                 | √                 | √         | —     | —         | —     |
| Speed dial                      | √                           | √                  | √                 | √                 | √                 | √                 | √                 | √                 | √                 | √         | √     | √         | √     |
| Hot line                        | √                           | √                  | √                 | √                 | √                 | √                 | √                 | √                 | √                 | √         | √     | √         | √     |
| Programmable Key                | √                           | √                  | √                 | √                 | —                 | —                 | —                 | √                 | √                 | —         | —     | √         | √     |
| SMS                             | √                           | √                  | √                 | √                 | √                 | √                 | √                 | √                 | √                 | —         | —     | —         | —     |
| XML Phonebook                   | √                           | √                  | √                 | √                 | √                 | √                 | √                 | √                 | √                 | √         | —     | —         | —     |
| Multi-Language                  | √                           | √                  | √                 | √                 | √                 | √                 | √                 | √                 | √                 | √         | √     | √         | √     |
| VPN                             | √                           | √                  | √                 | √                 | √                 | √                 | √                 | √                 | √                 | √         | √     | √         | √     |
| VLAN/QoS                        | √                           | √                  | √                 | √                 | √                 | √                 | √                 | √                 | √                 | √         | √     | √         | √     |
| Expansion Module                | √                           | √                  | √                 | —                 | —                 | —                 | —                 | —                 | —                 | —         | —     | —         | —     |
| Wall Mounted                    | √                           | √                  | √                 | √                 | √                 | √                 | —                 | —                 | —                 | √         | —     | √         | √     |
| PoE Option                      | √                           | √                  | √                 | √                 | √                 | √                 | √                 | √                 | √                 | √         | √     | √         | √     |
| WiFi (802.11b/g/n)              | —                           | —                  | —                 | —                 | —                 | —                 | √                 | —                 | —                 | —         | —     | —         | —     |
| Gigabit Ethernet                | √                           | √                  | √                 | —                 | √                 | —                 | —                 | —                 | —                 | —         | —     | —         | —     |
| USB Charger                     | √                           | √                  | √                 | √                 | √                 | √                 | —                 | —                 | √                 | —         | —     | —         | —     |
| EP+app                          | √                           | √                  | √                 | √                 | √                 | √                 | √                 | √                 | —                 | —         | —     | —         | —     |
| BWM36                           | √                           | √                  | √                 | √                 | —                 | —                 | —                 | —                 | —                 | —         | —     | —         | —     |



## Escene Communication Co.,Ltd

Headquarters (Guangzhou):

Add: Floor 4 Building C YueAn Industrial Park No.51 Huangcun Road Tianhe District,  
Guangzhou, China.

Tel:+86(20)-82320720

Fax:+86(20)-82326757

E-mail:sales@escene.cn

USA office:

Add: 1210 N Jefferson St. Unit A, Anaheim, CA 92807.

Contact person: Mr. Roland Song

Mobile: 626-626-6619

E-mail:sales@escene.cn

ESCENE'Sayhi can be integrated  
with 150 VoIP systems in 150 countries

AVAYA

Alcatel-Lucent 

  
Asterisk

BROADSOFT  
Technology Partner

 elastix®  
FREEDOM TO COMMUNICATE

 Genesys™

 Microsoft™  
Lync™

 LG-ERICSSON 

Metaswitch  
Networks

NEC

UNIFY

ZYCOO

ZTE中兴

3CX

[www.escene.cn/en](http://www.escene.cn/en)